

SHERWIN INC.

D-106 Developer Spray Can

PRODUCT AND COMPANY IDENTIFICATION

Product Identifier: D-106 Developer Spray Can

SDS Number: D-106 SC Revision Date: 6/14/2022

Product Use: NDT Inspection Developer

Supplier Details: Sherwin Inc.

5530 Borwick Avenue South Gate, CA 90280

Phone: 562-861-6324

Email: sherwin@sherwininc.com
Internet: www.sherwininc.com

Emergency telephone number:

ChemTel 1-800-255-3924 in U.S.A, Canada, Puerto Rico and US Virgin Islands;

ChemTel +1-813-248-0585 outside U.S.A, Canada, Puerto Rico and US Virgin Islands

ChemTel Brazil: 0-800-591-6042, China: 400-120-0751, India: 000-800-100-4086 and Mexico: 01-800-099-0731

2

HAZARDS IDENTIFICATION

Classification of Substance

GHS Classification in Accordance with 29 CFR 1910 (OSHA HCS):

Physical, Flammable Aerosols, 1

Health, Serious Eye Damage/Eye Irritation, 2 A

Health, Specific target organ toxicity - Single exposure, 3

GHS Label Elements, Including Precautionary Statements

GHS Signal Word: DANGER GHS Hazard Pictograms:





GHS Hazard Statements:

H222 - Extremely flammable aerosol

H229 - Pressurized container: may burst if heated

H319 - Causes serious eye irritation

H336 - May cause drowsiness or dizziness

GHS Precautionary Statements:

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

 $\label{power_proof} P241 - Use\ explosion-proof\ [electrical/ventilating/lighting/...]\ equipment.$

P261 - Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 - Wash ... thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P281 - Use personal protective equipment as required.

P303 + P361 + P353 - IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P308 + P311 - IF exposed or concerned: Call a POISON CENTER/doctor/...

P370 + P378 - In case of fire: Use dry chemical, alcohol resistant foam or dry sand to extinguish.

P403 + P235 - Store in a well-ventilated place. Keep cool.

P501 - Dispose of contents/container in accordance with local/regional/national/international regulations.



SHERWIN INC.

D-106 Developer Spray Can

3 COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Ingredients:		
CAS#	%	Chemical Name:
68476-86-8	40-50%	Propane/ Isobutane
67-64-1	25-50%	2-Propanone
67-63-0	1-20%	2-Propanol

4 FIRST AID MEASURES

Inhalation: Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case

of unconsciousness place patient stably in side position for transportation.

Skin Contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor

Eye Contact: Immediately flush eyes with large amounts of water for at least 15 minutes, lifting eyelids to facilitate irrigation. Get

immediate medical attention.

Ingestion: Clean mouth with water. Keep respiratory tract clear.

Do NOT induce vomiting or attempt chemical neutralization. If symptoms persist, call a physician.

FIRE FIGHTING MEASURES

Flash Point: 12°C (54 °F) 2-propanol

Flash Point Method: ASTM D-56

Autoignition Temp: 399-425°C-propanol Lower Explosive Limit: 2%(V) 2-propanol UEL: 13%(V) 2-propanol

Suitable extinguishing agents: Alcohol resistant foam, dry chemical, carbon dioxide

Unusual Fire or Explosion Hazards: Contents under pressure. Extremely flammabel

Special hazards arising from

the substance or mixture: Spray can under pressure. Carbon monoxide and carbon dioxide

Protective equipment: Wear self-contained respiratory protective device. Wear fully protective suit

Unsuitable extinguishing media: High volume water jet

Further information: Do not allow run-off from fire-fighting to enter drains or water courses. Use a water spray to cool fully

closed containers.

6

5

ACCIDENTAL RELEASE MEASURES

Personal precautions, protective

equipment and emergency procedures: Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation

Environmental precautions: Do not allow to enter storm sewers/ surface or ground water.

Methods and material for containment

and cleaning up: Collect liquid in an appropriate container or absorb with an inert material such as

vermiculite, dry sand, or earth; DO NOT use combustible materials.

SDS Number: D-106 SC Page: 2 / 6 Revision Date: 6/14/2022



SHERWIN INC.

D-106 Developer Spray Can

Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.. Place in a chemical waste container.

HANDLING AND STORAGE

Handling Precautions: Keep away from sources of ignition. - No smoking. Do not spray on an open flame or other ignition

source. Pressurized container: Do not pierce or burn, even after use. Avoid contact with skin and eyes.

Avoid breathing vapor or mist. Use only outdoors or in a well-ventilated area or with approriate respiratory equipment. Do not swallow. When using do not eat, drink or smoke. (See section 8)

Do not expose to temperatures exceeding 50 °C/122 °F. Store in a well-ventilated place. Storage Requirements:

Keep containers upright to prevent leakage.

Containers may be hazardous when empty since residue liquid may be present

8 **EXPOSURE CONTROLS/PERSONAL PROTECTION**

Engineering Controls: Provide adequate ventilation for work and storage areas.

Personal Protective Chemical resistant gloves;

Equipment: Chemical safety glasses;

General and local exhaust ventilation is recommended to maintain vapor exposures below recommended

Where concentrations are above recommended limits, use an organic vapor respirator with dust, mist,

and fume filters; Impervious clothing.

Exposure Limits:

67-63-0 Isopropyl alcihol

USA OSHA TWA/STEL ACGIH TWA/STEL 400/500 ppm 200/400 ppm

750/1000 ppm 67-64-1 Acetone 250/500 ppm

68476-86-8 Propane/butane TLV(STEL) 1000 ppm **ACGIH**

Follow workplace regulatory exposure limits for all types of airborne dust (e.g. total dust, respirable dust)

Total dust 15 mg/m3 Total Dust TLV/TWA 8-hr: 1 mg/m3 (respirable fraction)

2 mg/m3 Respirable Dust.





Keep away from foodstuffs, beverages and feed. General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Do not inhale gases / fumes / aerosols.

Wash hands before breaks and at the end of work.



SHERWIN INC.

D-106 Developer Spray Can

Avoid contact with eyes and skin.

9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: Powder dispersed in solvent, powder setles out and solvent evaporates quickly.

Physical State: Liquid in a spray can under pressure Odor: Characteristic

Spec Grav./Density: 0.91 Solubility: Liquid portion is soluble in water

Viscosity: Not Dtermined Flash Point: -17 °C (1°F) (ASTM D-56), 2-Propanone

Boiling Point:56°C (133°F), 2-PropanoneVapor Density:Not determinedVapor Pressure:Not determinedAuto-Ignition Temp:Not determinedpH:Not determinedUFL/LFL:No data available

Evaporation Rate: Not determined

10 STABILITY AND REACTIVITY

Reactivity:No dangerous reaction under normal use. **Chemical Stability:**Product is stable under normal conditions.

Conditions to Elevated temperatures

Avoldentification:

Materials to Avoldentification: Strong Acids;

Strong Bases

Strong Oxidizing Agents.

Hazardous Decomposition: Carbon oxides, sulphur oxides

Hazardous Polymerization: Will not occur.

11 TOXICOLOGICAL INFORMATION

Skin corrosion/irritation Irritating to skin.

Serious eye damage/irritation Risk of serious damage to eyes.

Inhalation May cause drowsiness, dizziness, headache, nausea vomiting

Respiratory or skin sensitization Do not breathe dust. Inhalation of dust in high concentration may cause irritation of respiratory system

Carcinogenicity

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen for this intended use by IARC.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

No component of this product present at levels greater than or equal to 0.1% is identified as a known or antici-pated carcinogen by NTP.

STOT - single exposure

May cause drowsiness or dizziness

SDS Number: D-106 SC Page: 4 / 6 Revision Date: 6/14/2022



SHERWIN INC.

D-106 Developer Spray Can

12

ECOLOGICAL INFORMATION

Ecotoxcity

This product is not classified as environmentalyy hazardous.

67-64-1 LC50(fish) >4000mg/I, 96 hrs 67-63-0 LC50(fish) >1400mg/I, 96 hrs

Persistency and degradability

No data available.

This product contains powders and the methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

No data available

Mobility

No data available

13

DISPOSAL CONSIDERATIONS

Dispose of in accordance with all applicable local, state and federal regulations

Empty containers may retain product residue (liquid and/or vapor) and can be dangerous.

14

TRANSPORT INFORMATION

DOT, IATA, IMDG

UN1950, aerosols, flammable, 2.1

15

REGULATORY INFORMATION

TSCA All components are on the Inventory list

US federal regulations

CERCLA Hazardous Substance List (40 CFR 302.4)

This materiasl does not contain any components with a CERCLA RQ.

SARA 311/312 Hazard classes

Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 313 (TRI reporting)

67-63-0 2-Propanol



SHERWIN INC.

D-106 Developer Spray Can

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Clean Water Act

This product does not contain any toxic pollutants listed under the U.S. Clean Water Act Section 307

16

OTHER INFORMATION

NFPA: Health = 2, Fire = 4, Reactivity = 0, Specific Hazard = n/a



This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Author: Sherwin Inc.

Publication Date: June 14, 2022

Revision No. 0

Revision Date: 6/14/2022

SDS Number: D-106 SC Page: 6 / 6 Revision Date: 6/14/2022