

TSP Calibration, Inc.

3501 US Hwy 90 E Broussard, LA 70518
Phone: (337) 236-6078 Email: taichi@tspndt.com

Certificate of Calibration

Certificate No TSP-08062025-009

Gage ID PEA-10723-1 Gage S/N 10723-1 Description Profile Gauge Operating Procedure: OP-129 Unit of Meas. Manufacturer Lone star Cal. Date 8/6/2025 Next Due 8/6/2028 Cal. Freq. 3.00 Years Location Lab	Environmental Conditions Temperature 68 +/- 2 deg F Humidity 20-55% Approved Yes Customer Info. Peak NDT
--	---

Certification Statement

TSP Calibration, Inc. calibration systems complies with the requirements of ISO 9001:2015. The equipment that is certified by this certificate has been calibrated by standards that have accuracy which is traceable to standards of the National Institute of Standards and Technology.

Findings

AS FOUND: PASSED AS LEFT: PASSED

Gage: NC-23-50, 4 TPI, 2 TPF

Profile Overlay Serial #: C14281
Profile Overlay NIST# 03-7-1857

Optical Comparator w/ Digital Readout (14"), Mitutoyo, Model PH-A14
Serial #: 012721312
Traceable to NIST #: Cert# CO325-29789-775, CO325-28462-775
Last / Next Cal Dates: 03/11/2025 --> 03/11/2028

APPROVED*By Kayla Myers at 2:40 pm, Aug 06, 2025*Calibrated By Taichi Daimo

Signature



Date:

8/6/2025

TSP Calibration, Inc.

3501 US Hwy 90 E Broussard, LA 70518
Phone: (337) 236-6078 Email: taichi@tspndt.com

Certificate of Calibration

Certificate No TSP-08062025-010

Gage ID PEA-HM21GF0060 Gage S/N HM21GF0060 Description Profile Gauge Operating Procedure: OP-129 Unit of Meas. Manufacturer Gagemaker Cal. Date 8/6/2025 Next Due 8/6/2028 Cal. Freq. 3.00 Years Location Lab	Environmental Conditions Temperature 68 +/- 2 deg F Humidity 20-55% Approved Yes Customer Info. Peak NDT
--	---

Certification Statement

TSP Calibration, Inc. calibration systems complies with the requirements of ISO 9001:2015. The equipment that is certified by this certificate has been calibrated by standards that have accuracy which is traceable to standards of the National Institute of Standards and Technology.

Findings

AS FOUND: PASSED AS LEFT: PASSED

Gage: TP-4-2-38, 4 TPI, 2 TPF, V.038

Profile Overlay Serial #: C14281
Profile Overlay NIST# 03-7-1857

Optical Comparator w/ Digital Readout (14"), Mitutoyo, Model PH-A14
Serial #: 012721312
Traceable to NIST #: Cert# CO325-29789-775, CO325-28462-775
Last / Next Cal Dates: 03/11/2025 --> 03/11/2028

APPROVED*By Kayla Myers at 2:40 pm, Aug 06, 2025*Calibrated By Taichi Daimo

Signature



Date:

8/6/2025

TSP Calibration, Inc.

3501 US Hwy 90 E Broussard, LA 70518
Phone: (337) 236-6078 Email: taichi@tspndt.com

Certificate of Calibration

Certificate No TSP-08062025-012

Gage ID PEA-13065-1 Gage S/N 13065-1 Description Profile Gauge Operating Procedure: OP-129 Unit of Meas. Manufacturer Lone star Cal. Date 8/6/2025 Next Due 8/6/2028 Cal. Freq. 3.00 Years Location Lab	Environmental Conditions Temperature 68 +/- 2 deg F Humidity 20-55% Approved Yes Customer Info. Peak NDT
--	---

Certification Statement

TSP Calibration, Inc. calibration systems complies with the requirements of ISO 9001:2015. The equipment that is certified by this certificate has been calibrated by standards that have accuracy which is traceable to standards of the National Institute of Standards and Technology.

Findings

AS FOUND: PASSED AS LEFT: PASSED

Gage: PG-542, 4 TPI, 2 TPF, V.050

Profile Overlay Serial #: C14282
Profile Overlay NIST# 03-7-1857

Optical Comparator w/ Digital Readout (14"), Mitutoyo, Model PH-A14
Serial #: 012721312
Traceable to NIST #: Cert# CO325-29789-775, CO325-28462-775
Last / Next Cal Dates: 03/11/2025 --> 03/11/2028

Calibrated By Taichi Daimo

Signature

Date: 8/6/2025**APPROVED***By Kayla Myers at 2:41 pm, Aug 06, 2025*

TSP Calibration, Inc.

3501 US Hwy 90 E Broussard, LA 70518
Phone: (337) 236-6078 Email: taichi@tspndt.com

Certificate of Calibration

Certificate No TSP-08062025-013

Gage ID PEA-HM24JF0024 Gage S/N HM24JF0024 Description Profile Gauge Operating Procedure: OP-129 Unit of Meas. Manufacturer Gagemaker Cal. Date 8/6/2025 Next Due 8/6/2028 Cal. Freq. 3.00 Years Location Lab	Environmental Conditions Temperature 68 +/- 2 deg F Humidity 20-55% Approved Yes Customer Info. Peak NDT
--	---

Certification Statement

TSP Calibration, Inc. calibration systems complies with the requirements of ISO 9001:2015. The equipment that is certified by this certificate has been calibrated by standards that have accuracy which is traceable to standards of the National Institute of Standards and Technology.

Findings

AS FOUND: PASSED AS LEFT: PASSED

Gage: TP-4-2-50, 4 TPI, 2 TPF, V.050

Profile Overlay Serial #: C14282
Profile Overlay NIST# 03-7-1857

Optical Comparator w/ Digital Readout (14"), Mitutoyo, Model PH-A14
Serial #: 012721312
Traceable to NIST #: Cert# CO325-29789-775, CO325-28462-775
Last / Next Cal Dates: 03/11/2025 --> 03/11/2028

Calibrated By Taichi Daimo

Signature

Date: 8/6/2025**APPROVED***By Kayla Myers at 2:41 pm, Aug 06, 2025*

TSP Calibration, Inc.

3501 US Hwy 90 E Broussard, LA 70518
Phone: (337) 236-6078 Email: taichi@tspndt.com

Certificate of Calibration

Certificate No TSP-08062025-014

Gage ID PEA-10899-3 Gage S/N 10899-3 Description Profile Gauge Operating Procedure: OP-129 Unit of Meas. Manufacturer Lone star Cal. Date 8/6/2025 Next Due 8/6/2028 Cal. Freq. 3.00 Years Location Lab	Environmental Conditions Temperature 68 +/- 2 deg F Humidity 20-55% Approved Yes Customer Info. Peak NDT
--	---

Certification Statement

TSP Calibration, Inc. calibration systems complies with the requirements of ISO 9001:2015. The equipment that is certified by this certificate has been calibrated by standards that have accuracy which is traceable to standards of the National Institute of Standards and Technology.

Findings

AS FOUND: PASSED AS LEFT: PASSED

Gage: NC-56-77, 4 TPI, 3 TPF

Profile Overlay Serial #: C14283
Profile Overlay NIST# 03-7-1857

Optical Comparator w/ Digital Readout (14"), Mitutoyo, Model PH-A14
Serial #: 012721312
Traceable to NIST #: Cert# CO325-29789-775, CO325-28462-775
Last / Next Cal Dates: 03/11/2025 --> 03/11/2028

Calibrated By Taichi Daimo

Signature

Date: 8/6/2025**APPROVED***By Kayla Myers at 2:42 pm, Aug 06, 2025*

TSP Calibration, Inc.

3501 US Hwy 90 E Broussard, LA 70518
Phone: (337) 236-6078 Email: taichi@tspndt.com

Certificate of Calibration

Certificate No TSP-08062025-015

Gage ID PEA-HM17GF0040 Gage S/N HM17GF0040 Description Profile Gauge Operating Procedure: OP-129 Unit of Meas. Manufacturer Gagemaker Cal. Date 8/6/2025 Next Due 8/6/2028 Cal. Freq. 3.00 Years Location Lab	Environmental Conditions Temperature 68 +/- 2 deg F Humidity 20-55% Approved Yes Customer Info. Peak NDT
--	---

Certification Statement

TSP Calibration, Inc. calibration systems complies with the requirements of ISO 9001:2015. The equipment that is certified by this certificate has been calibrated by standards that have accuracy which is traceable to standards of the National Institute of Standards and Technology.

Findings

AS FOUND: PASSED AS LEFT: PASSED

Gage: TP-4-3-38, 4 TPI, 3 TPF, V.038

Profile Overlay Serial #: C14283
Profile Overlay NIST# 03-7-1857

Optical Comparator w/ Digital Readout (14"), Mitutoyo, Model PH-A14
Serial #: 012721312
Traceable to NIST #: Cert# CO325-29789-775, CO325-28462-775
Last / Next Cal Dates: 03/11/2025 --> 03/11/2028

Calibrated By Taichi Daimo

Signature

Date: 8/6/2025**APPROVED****By Kayla Myers at 2:43 pm, Aug 06, 2025**

TSP Calibration, Inc.

3501 US Hwy 90 E Broussard, LA 70518
Phone: (337) 236-6078 Email: taichi@tspndt.com

Certificate of Calibration

Certificate No TSP-08062025-016

Gage ID PEA-10899-4 Gage S/N 10899-4 Description Profile Gauge Operating Procedure: OP-129 Unit of Meas. Manufacturer Lone star Cal. Date 8/6/2025 Next Due 8/6/2028 Cal. Freq. 3.00 Years Location Lab	Environmental Conditions Temperature 68 +/- 2 deg F Humidity 20-55% Approved Yes Customer Info. Peak NDT
--	---

Certification Statement

TSP Calibration, Inc. calibration systems complies with the requirements of ISO 9001:2015. The equipment that is certified by this certificate has been calibrated by standards that have accuracy which is traceable to standards of the National Institute of Standards and Technology.

Findings

AS FOUND: PASSED AS LEFT: PASSED

Gage: PG-543, 4 TPI, 3 TPF, V.050

Profile Overlay Serial #: C14284
Profile Overlay NIST# 03-7-1857

Optical Comparator w/ Digital Readout (14"), Mitutoyo, Model PH-A14
Serial #: 012721312
Traceable to NIST #: Cert# CO325-29789-775, CO325-28462-775
Last / Next Cal Dates: 03/11/2025 --> 03/11/2028

Calibrated By Taichi Daimo

Signature

Date: 8/6/2025**APPROVED***By Kayla Myers at 2:44 pm, Aug 06, 2025*

TSP Calibration, Inc.

3501 US Hwy 90 E Broussard, LA 70518
Phone: (337) 236-6078 Email: taichi@tspndt.com

Certificate of Calibration

Certificate No TSP-08062025-017

Gage ID PEA-RG16HF0084 Gage S/N RG16HF0084 Description Profile Gauge Operating Procedure: OP-129 Unit of Meas. Manufacturer Gagemaker Cal. Date 8/6/2025 Next Due 8/6/2028 Cal. Freq. 3.00 Years Location Lab	Environmental Conditions Temperature 68 +/- 2 deg F Humidity 20-55% Approved Yes Customer Info. Peak NDT
--	---

Certification Statement

TSP Calibration, Inc. calibration systems complies with the requirements of ISO 9001:2015. The equipment that is certified by this certificate has been calibrated by standards that have accuracy which is traceable to standards of the National Institute of Standards and Technology.

Findings

AS FOUND: PASSED AS LEFT: PASSED

Gage: TP-4-3-50, 4 TPI, 3 TPF, V.050

Profile Overlay Serial #: C14284
Profile Overlay NIST# 03-7-1857

Optical Comparator w/ Digital Readout (14"), Mitutoyo, Model PH-A14
Serial #: 012721312
Traceable to NIST #: Cert# CO325-29789-775, CO325-28462-775
Last / Next Cal Dates: 03/11/2025 --> 03/11/2028

Calibrated By Taichi Daimo Signature  Date: 8/6/2025**APPROVED***By Kayla Myers at 2:44 pm, Aug 06, 2025*

TSP Calibration, Inc.

3501 US Hwy 90 E Broussard, LA 70518
Phone: (337) 236-6078 Email: taichi@tspndt.com

Certificate of Calibration

Certificate No TSP-08062025-018

Gage ID PEA-HM21GF0013 Gage S/N HM21GF0013 Description Profile Gauge Operating Procedure: OP-129 Unit of Meas. Manufacturer Gagemaker Cal. Date 8/6/2025 Next Due 8/6/2028 Cal. Freq. 3.00 Years Location Lab	Environmental Conditions Temperature 68 +/- 2 deg F Humidity 20-55% Approved Yes Customer Info. Peak NDT
--	---

Certification Statement

TSP Calibration, Inc. calibration systems complies with the requirements of ISO 9001:2015. The equipment that is certified by this certificate has been calibrated by standards that have accuracy which is traceable to standards of the National Institute of Standards and Technology.

Findings

AS FOUND: PASSED AS LEFT: PASSED

Gage: TP-5-3-40, 5 TPI, 3 TPF, V.040

Profile Overlay Serial #: C14285
Profile Overlay NIST# 03-7-1857

Optical Comparator w/ Digital Readout (14"), Mitutoyo, Model PH-A14
Serial #: 012721312
Traceable to NIST #: Cert# CO325-29789-775, CO325-28462-775
Last / Next Cal Dates: 03/11/2025 --> 03/11/2028

Calibrated By Taichi Daimo

Signature

Date: 8/6/2025**APPROVED***By Kayla Myers at 2:44 pm, Aug 06, 2025*