Page 1 of 1

TSP Calibration, Inc.

3501 US Hwy 90 E Broussard, LA 70518 Phone: (337) 236-6078 Email: taichi@tspndt.com

Certificate of Calibration

Certificate No TSP-12172024-028

Gage ID PEA-ZT04FG0055

Gage S/N ZT04FG0055

Description Profile Gauge

Operating OP-129 Procedure:

Unit of Meas.

Manufacturer Gagemaker

Cal. Date 12/17/2024

Next Due 12/17/2027

Cal. Freq. 3.00

Years

Location Lab

Environmental Conditions

Temperature

68 +/- 2 deg F

Humidity

20-55%

Approved Yes Customer Info. Peak NDT

Certification Statement

TSP Calibration, Inc. calibration systems complies with the requirements of ISO 9001:2015. The equipment that is certified by this certificate has been calibrated by standards that have accuracy which is traceable to standards of the National Institute of Standards and Technology.

Findings

AS FOUND: PASSED

AS LEFT: PASSED

Gage: TP-4-2-38, 4 TPI, 2 TPF, V.038

Profile Overlay Serial #: C14281 Profile Overlay NIST# 03-7-1857 **APPROVED**

By Kayla Myers at 12:03 pm, Dec 18, 2024

Optical Comparator w/ Digital Readout (14"), Mitutoyo, Model PH-A14

Serial #: 012721312

Traceable to NIST #: Cert# CK327-33039-775 Last / Next Cal Dates: 03/06/2023 --> 03/06/2025

Calibrated By Taichi Daimo

Signature 4

Date:

12/17/2024

3501 US Hwy 90 E Broussard, LA 70518 Phone: (337) 236-6078 Email: taichi@tspndt.com

Certificate of Calibration

Certificate No TSP-12172024-029

Gage ID PEA-ZT30EG0114

Gage S/N ZT30EG0114

Description Profile Gauge

Operating OP-129

Procedure:

Unit of Meas.

Manufacturer Gagemaker

Cal. Date 12/17/2024

Next Due 12/17/2027

Cal. Freq. 3.00

Years

Location Lab

Environmental Conditions

Temperature

68 +/- 2 deg F

Humidity

20-55%

Approved Yes

Customer Info. Peak NDT

Certification Statement

TSP Calibration, Inc. calibration systems complies with the requirements of ISO 9001:2015. The equipment that is certified by this certificate has been calibrated by standards that have accuracy which is traceable to standards of the National Institute of Standards and Technology.

Findings

AS FOUND: PASSED

AS LEFT: PASSED

Gage: TP-4-2-50, 4 TPI, 2 TPF, V.050

Profile Overlay Serial #: C14282 Profile Overlay NIST# 03-7-1857

Optical Comparator w/ Digital Readout (14"), Mitutoyo, Model PH-A14

Serial #: 012721312

Traceable to NIST #: Cert# CK327-33039-775 Last / Next Cal Dates: 03/06/2023 --> 03/06/2025

Calibrated By Taichi Daimo

Signature

Date:

12/17/2024

APPROVED

By Kayla Myers at 12:03 pm, Dec 18, 2024

3501 US Hwy 90 E Broussard, LA 70518 Phone: (337) 236-6078 Email: taichi@tspndt.com

Certificate of Calibration

Certificate No TSP-12172024-030

Gage ID PEA-ZT24FG0070 Gage S/N ZT24FG0070

Description Profile Gauge

Operating OP-129

Procedure:

Unit of Meas.

Manufacturer Gagemaker Cal. Date 12/17/2024

Next Due 12/17/2027

Cal. Freq. 3.00

Years

Location Lab

Environmental Conditions

Temperature

68 +/- 2 deg F

Humidity

20-55%

Approved Yes

Customer Info. Peak NDT

Certification Statement

TSP Calibration, Inc. calibration systems complies with the requirements of ISO 9001:2015. The equipment that is certified by this certificate has been calibrated by standards that have accuracy which is traceable to standards of the National Institute of Standards and Technology.

Findings

AS FOUND: PASSED

AS LEFT: PASSED

Gage: TP-4-3-38, 4 TPI, 3 TPF, V.038

Profile Overlay Serial #: C14283 Profile Overlay NIST# 03-7-1857 APPROVED

By Kayla Myers at 12:04 pm, Dec 18, 2024

Optical Comparator w/ Digital Readout (14"), Mitutoyo, Model PH-A14

Serial #: 012721312

Traceable to NIST #: Cert# CK327-33039-775 Last / Next Cal Dates: 03/06/2023 --> 03/06/2025

Calibrated By Taichi Daimo

Signature

Date:

12/17/2024

3501 US Hwy 90 E Broussard, LA 70518 Phone: (337) 236-6078 Email: taichi@tspndt.com

Certificate of Calibration

Certificate No TSP-12172024-031

Gage ID PEA-10948-1

Gage S/N 10948-1

Description Profile Gauge

Operating OP-129 Procedure:

Unit of Meas.

Manufacturer Lone star

Cal. Date 12/17/2024 Next Due 12/17/2027

Cal. Freq. 3.00

Years

Location Lab

Environmental Conditions

Temperature

68 +/- 2 deg F

Humidity

20-55%

Approved Yes

Customer Info. Peak NDT

Certification Statement

TSP Calibration, Inc. calibration systems complies with the requirements of ISO 9001:2015. The equipment that is certified by this certificate has been calibrated by standards that have accuracy which is traceable to standards of the National Institute of Standards and Technology.

Findings

AS FOUND: PASSED

AS LEFT: PASSED

Gage: PG-543, 4 TPI, 3 TPF, V.050

Profile Overlay Serial #: C14284 Profile Overlay NIST# 03-7-1857

Optical Comparator w/ Digital Readout (14"), Mitutoyo, Model PH-A14

Serial #: 012721312

Traceable to NIST #: Cert# CK327-33039-775 Last / Next Cal Dates: 03/06/2023 --> 03/06/2025

Calibrated By Taichi Daimo

Signature <

Date:

12/17/2024

APPROVED

By Kayla Myers at 12:05 pm, Dec 18, 2024

3501 US Hwy 90 E Broussard, LA 70518 Phone: (337) 236-6078 Email: taichi@tspndt.com

Certificate of Calibration

Certificate No TSP-12172024-032

Gage ID PEA-10948-2
Gage S/N 10948-2
Description Profile Gauge

Operating OP-129

Unit of Meas.

Manufacturer Lone star Cal. Date 12/17/2024

Next Due 12/17/2027

Cal. Freq. 3.00 Location Lab Years

Environmental Conditions

Temperature 68 +/- 2 deg F Humidity 20-55%

Approved Yes
Customer Info. Peak NDT

Certification Statement

TSP Calibration, Inc. calibration systems complies with the requirements of ISO 9001:2015. The equipment that is certified by this certificate has been calibrated by standards that have accuracy which is traceable to standards of the National Institute of Standards and Technology.

Findings

AS FOUND: PASSED AS LEFT: PASSED

Gage: PG-453, 5 TPI, 3 TPF, V.040

Profile Overlay Serial #: C14285 Profile Overlay NIST# 03-7-1857

Optical Comparator w/ Digital Readout (14"), Mitutoyo, Model PH-A14

Serial #: 012721312

Traceable to NIST #: Cert# CK327-33039-775 Last / Next Cal Dates: 03/06/2023 --> 03/06/2025

Calibrated By Taichi Daimo

Signature

Date:

12/17/2024

APPROVED

By Kayla Myers at 12:05 pm, Dec 18, 2024